

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of

Customer Number: 20277

Ichiro YAMASHITA

Confirmation Number: 6930

Serial No.: 10/644,774

Group Art Unit: 1653

Filed: August 21, 2003

Examiner: (Unknown)

For: METHOD FOR PRODUCING COBALT-PROTEIN COMPLEX

Mail Stop Non-Fee Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Transmitted herewith is an Amendment in the above-identified application.

No additional fee is required.

Applicant is entitled to small entity status under 37 CFR 1.27

Also attached:

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	8	20	0	\$18.00 =	\$0.00
Independent Claims	1	3	0	\$86.00 =	\$0.00
	Multiple claims nev	Multiple claims newly presented			
		Fee for extension of time			\$0.00
		Total of Above Calculations		\$0.00	

Please charge my Deposit Account No. <u>500417</u> in the amount of \$0.00. An additional copy of this transmittal sheet is submitted herewith.

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 500417, including any filing fees under 37 CFR 1.16 for presentation of extra claims and any patent application processing fees under 37 CFR 1.17.

Respectfully submitted,

MCDERMOTT, WILL & EMERY

Michael E. Fogarty Registration No. 36,139

600 13th Street, N.W. Washington, DC 20005-3096 (202) 756-8000 MEF:rp Facsimile: (202) 756-8087 Date: February 13, 2004



Docket No.: 60188-623 **PATENT**

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of Customer Number: 20277

Ichiro YAMASHITA Confirmation Number: 6930

Group Art Unit: 1653 Serial No.: 10/644,774

Filed: August 21, 2003 Examiner: (Unknown)

METHOD FOR PRODUCING COBALT-PROTEIN COMPLEX For:

PRELIMINARY AMENDMENT

Mail Stop Non-Fee Amendment Hon. Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Prior to the examination of the above-identified application, please amend the application as follows: